



Irismo Wirefree Curtain Tracking



Today, drapery motorization is becoming the standard for hotel rooms, meeting spaces, conference centres and residences.



Soft start and soft stop



Adjustable speed
4 speeds available.



Touch motion



WireFree
For quicker installation.

Aesthetic

Clean, premium motor design with built-in control modules.

Easy to conceal behind drapery fabric
The adjustable limit setting provides precise alignment of drapery fabric.

Advanced track design and swivel ceiling brackets minimize light gaps.

Soft start and soft stop drapery motion
Improved hardware design provides greater overlap and even stack back.

Efficient

Touch motion feature allows the user to activate the motorized drapery simply by pulling on the fabric.

Manual override permits the drapery to be adjusted manually.

This is ideal for power outages and also protects the fabric from damage.

The "my" function allows the user to set a preferred drapery opening which provides enhanced convenience.

Flexible and Quiet

Patented versatile master carrier reduces friction and is adaptable to various drapery types.

Multiple built-in control options allow seamless integration with third-party systems.

Adjustable drapery speed control
Motor design and advanced high-performance belt drive system provide quiet operation (<44dBA).



Irismo 45 WireFree RTS

PRODUCT SPECIFICATIONS

BENEFITS FOR PROFESSIONALS

Reliable, robust and discreet

- The premium solution for residential markets
- Curtain weight up to 45kg

Easy Installation

- Motor is battery operated, no wiring required
- No need to have electrical knowledge
- Motor can be installed on the right or left side of the track

Convenience

- The removable battery is compact and easy to recharge

BENEFITS FOR END USERS

Easy use and maintenance

- Rechargeable battery (Only recharge once per year)
- Low battery LED indicator

Elegance

- Discreet design for the best aesthetic of the complete solution
- No more visible wiring
- Smooth motion with adjustable speed

Smart and simple

Enjoy your smart home by controlling your curtains with Connexoon Window RTS and voice control (through IFTTT)

COMPATIBLE END-PRODUCTS



Curtains

TECHNICAL DATA

Thermal Time	2.5 minutes
Voltage Supply	24V DC
Index Protection Rating	IP30
Limit Switch Unit	Electronic
Temperature Working Range	0°C to +60°C
Electric Insulation	Class I

PERFORMANCE

End-limit unit versions available	RTS
Norminal Torque (Nm)	0.8Nm
Adjustable Linear Speed (cm/s)	20cm/s / 17.5cm/s / 15cm/s (default) /12.5cm/s
Sound level (dBA)	45 /43 /41 /39 (dBA)
Radio Frequency MHz	433,42
Adjustable Limits	Yes
Curtain Maximum Weight	45kg
Charging Time	< 6 Hours
Item Number	1002353 (Including battery)
Charger Item Number	9026468 (Has to be ordered separately)
Battery Pack (Spare Part)	9026476



Contact Us

Unit 1-2 / 32 Templar Place
Bennetts Green NSW 2290
Phone: (02) 4947 2321

Visit Us

Turn at Harvey Norman and keep following the road to the bottom of the cul de sac.

The NEW Industrial Park - Statham Street continues on to Templar Place so keep going to the end of the road. We are opposite of Blackerts Gymnastics and Trucking Place.

